

# Bird list

## RHINO RIDGE SAFARI LODGE

The Hluhluwe iMfolozi Park is a prime birding destination, home to over 400 bird species, a number that represents close to half of the species found in the southern African sub-region – of which 16% are recognised as red data species. This comprehensive list of the area includes 424 bird species.

- |   |   |  |
|---|---|--|
| <input type="checkbox"/> Apalis Bar-throated          | <input type="checkbox"/> Canary Yellow-fronted      | <input type="checkbox"/> Darter African              |
| <input type="checkbox"/> Apalis Rudd's                | <input type="checkbox"/> Chat Buff-streaked         | <input type="checkbox"/> Dove Cape Turtle            |
| <input type="checkbox"/> Apalis Yellow-breasted       | <input type="checkbox"/> Chat Familiar              | <input type="checkbox"/> Dove Emerald-spotted Wood   |
| <input type="checkbox"/> Avocet Pied                  | <input type="checkbox"/> Chat Mocking Cliff         | <input type="checkbox"/> Dove Laughing               |
| <input type="checkbox"/> Babbler Arrow-marked         | <input type="checkbox"/> Cisticola Cloud            | <input type="checkbox"/> Dove Lemon                  |
| <input type="checkbox"/> Barbet Acacia Pied           | <input type="checkbox"/> Cisticola Croaking         | <input type="checkbox"/> Dove Namaqua                |
| <input type="checkbox"/> Barbet Black-collared        | <input type="checkbox"/> Cisticola Desert           | <input type="checkbox"/> Dove Red-eyed               |
| <input type="checkbox"/> Barbet Crested               | <input type="checkbox"/> Cisticola Lazy             | <input type="checkbox"/> Dove Rock / Common Pigeon   |
| <input type="checkbox"/> Barbet White-eared           | <input type="checkbox"/> Cisticola Pale-crowned     | <input type="checkbox"/> Dove Tambourine             |
| <input type="checkbox"/> Bateleur                     | <input type="checkbox"/> Cisticola Rattling         | <input type="checkbox"/> Drongo Fork-tailed          |
| <input type="checkbox"/> Batis Cape                   | <input type="checkbox"/> Cisticola Red-faced        | <input type="checkbox"/> Drongo Square-tailed        |
| <input type="checkbox"/> Batis Chinspot               | <input type="checkbox"/> Cisticola Wailing          | <input type="checkbox"/> Duck African Black          |
| <input type="checkbox"/> Bee-eater European (m)       | <input type="checkbox"/> Cisticola Wing-snapping    | <input type="checkbox"/> Duck Fulvous Whistling      |
| <input type="checkbox"/> Bee-eater Little             | <input type="checkbox"/> Cisticola Zitting          | <input type="checkbox"/> Duck Knob-billed (m)        |
| <input type="checkbox"/> Bee-eater White-fronted      | <input type="checkbox"/> Coot Red-knobbed           | <input type="checkbox"/> Duck White-backed           |
| <input type="checkbox"/> Bishop Southern Red          | <input type="checkbox"/> Cormorant Reed             | <input type="checkbox"/> Duck White-faced Whistling  |
| <input type="checkbox"/> Bittern Eurasian** (u)       | <input type="checkbox"/> Cormorant White-breasted   | <input type="checkbox"/> Duck Yellow-billed          |
| <input type="checkbox"/> Bittern Little (u)           | <input type="checkbox"/> Coucal Burchell's          | <input type="checkbox"/> Eagle African Fish          |
| <input type="checkbox"/> Bokmakierie                  | <input type="checkbox"/> Courser Bronze-winged      | <input type="checkbox"/> Eagle African Hawk          |
| <input type="checkbox"/> Boubou Southern              | <input type="checkbox"/> Courser Temminck's         | <input type="checkbox"/> Eagle Black-chested Snake   |
| <input type="checkbox"/> Brownbul Terrestrial         | <input type="checkbox"/> Crake African (u-m)        | <input type="checkbox"/> Eagle Booted (m)            |
| <input type="checkbox"/> Brubru                       | <input type="checkbox"/> Crake Baillon's (u)        | <input type="checkbox"/> Eagle Brown Snake           |
| <input type="checkbox"/> Bulbul Dark-capped           | <input type="checkbox"/> Crake Black                | <input type="checkbox"/> Eagle Crowned (u)           |
| <input type="checkbox"/> Bunting Cinnamon-breasted    | <input type="checkbox"/> Crake Corn (u-m)           | <input type="checkbox"/> Eagle Lesser Spotted (u-m)  |
| <input type="checkbox"/> Bunting Golden-breasted      | <input type="checkbox"/> Crane Grey Crowned (u)     | <input type="checkbox"/> Eagle Long-crested          |
| <input type="checkbox"/> Bushshrike Gorgeous          | <input type="checkbox"/> Crombec Long-billed        | <input type="checkbox"/> Eagle Martial               |
| <input type="checkbox"/> Bushshrike Grey-headed       | <input type="checkbox"/> Crow Cape                  | <input type="checkbox"/> Eagle Southern banded Snake |
| <input type="checkbox"/> Bushshrike Olive             | <input type="checkbox"/> Crow Pied                  | <input type="checkbox"/> Eagle Steppe (m)            |
| <input type="checkbox"/> Bushshrike Orange-breasted   | <input type="checkbox"/> Cuckoo African (m)         | <input type="checkbox"/> Eagle Tawny                 |
| <input type="checkbox"/> Bustard Black-bellied        | <input type="checkbox"/> Cuckoo African Emerald (m) | <input type="checkbox"/> Eagle Verreaux's (u)        |
| <input type="checkbox"/> Buttonquail Kurrichane       | <input type="checkbox"/> Cuckoo Black (m)           | <input type="checkbox"/> Eagle Wahlberg's (m)        |
| <input type="checkbox"/> Buzzard Common / Steppe (m)  | <input type="checkbox"/> Cuckoo Common (u-m)        | <input type="checkbox"/> Egret Great (u)             |
| <input type="checkbox"/> Buzzard European Honey (u-m) | <input type="checkbox"/> Cuckoo Diederik (m)        | <input type="checkbox"/> Egret Little                |
| <input type="checkbox"/> Buzzard Jackal               | <input type="checkbox"/> Cuckoo Great Spotted (m)   | <input type="checkbox"/> Egret Western Cattle        |
| <input type="checkbox"/> Buzzard Lizard               | <input type="checkbox"/> Cuckoo Jacobin (m)         | <input type="checkbox"/> Egret Yellow-billed         |
| <input type="checkbox"/> Camaroptera Green-backed     | <input type="checkbox"/> Cuckoo Klaas's (m)         | <input type="checkbox"/> Eremomela Burnt-necked      |
| <input type="checkbox"/> Canary Brimstone             | <input type="checkbox"/> Cuckoo Red-chested (m)     | <input type="checkbox"/> Eremomela Yellow-bellied    |
| <input type="checkbox"/> Canary Cape                  | <input type="checkbox"/> Cuckooshrike Black         | <input type="checkbox"/> Falcon Amur (m)             |
| <input type="checkbox"/> Canary Lemon-breasted (u)    | <input type="checkbox"/> Cuckooshrike Grey (u)      | <input type="checkbox"/> Falcon Lanner               |

\*\* Rare resident, now considered to be critically Endangered

(u) Generally uncommon

(m) Migrant / Moves Seasonally - generally only seen at certain times of the year

(u-m) Generally uncommon | Migrant

(h) Historically found in the area

- |   |   |  |
|---|---|--|
| <input type="radio"/> Falcon Sooty (u-m)              | <input type="radio"/> Heron Green-backed              | <input type="radio"/> Lark Red-capped            |
| <input type="radio"/> Finch African Quail-            | <input type="radio"/> Heron Grey                      | <input type="radio"/> Lark Rufous-naped          |
| <input type="radio"/> Finch Cuckoo (m)                | <input type="radio"/> Heron Purple                    | <input type="radio"/> Lark Sabota                |
| <input type="radio"/> Finfoot African (u)             | <input type="radio"/> Heron Squacco                   | <input type="radio"/> Longclaw Cape              |
| <input type="radio"/> Firefinch African               | <input type="radio"/> Heron White-backed Night (u)    | <input type="radio"/> Longclaw Yellow-throated   |
| <input type="radio"/> Firefinch Red-billed            | <input type="radio"/> Hobby Eurasian (u-m)            | <input type="radio"/> Malkoha Green (u)          |
| <input type="radio"/> Fiscal Common (Fiscal Shrike)   | <input type="radio"/> Honeybird Brown-backed          | <input type="radio"/> Mannikin Bronze            |
| <input type="radio"/> Flufftail Buff-spotted          | <input type="radio"/> Honeyguide Greater              | <input type="radio"/> Mannikin Magpie (u)        |
| <input type="radio"/> Flufftail Red-chested           | <input type="radio"/> Honeyguide Lesser               | <input type="radio"/> Mannikin Red-backed (u)    |
| <input type="radio"/> Flycatcher African Dusky        | <input type="radio"/> Honeyguide Scaly-throated       | <input type="radio"/> Martin Banded (m)          |
| <input type="radio"/> Flycatcher African Paradise     | <input type="radio"/> Hoopoe African                  | <input type="radio"/> Martin Brown-throated      |
| <input type="radio"/> Flycatcher Ashy                 | <input type="radio"/> Hornbill African Grey           | <input type="radio"/> Martin Common House (m)    |
| <input type="radio"/> Flycatcher Blue-mantled Crested | <input type="radio"/> Hornbill Crowned                | <input type="radio"/> Martin Rock                |
| <input type="radio"/> Flycatcher Fiscal               | <input type="radio"/> Hornbill Southern Ground-       | <input type="radio"/> Martin Sand (m)            |
| <input type="radio"/> Flycatcher Grey Tit- (u)        | <input type="radio"/> Hornbill Southern Red-billed    | <input type="radio"/> Moorhen Common             |
| <input type="radio"/> Flycatcher Pale                 | <input type="radio"/> Hornbill Southern Yellow-billed | <input type="radio"/> Moorhen Lesser (u-m)       |
| <input type="radio"/> Flycatcher Southern Black       | <input type="radio"/> Hornbill Trumpeter              | <input type="radio"/> Mousebird Red-faced        |
| <input type="radio"/> Flycatcher Spotted (m)          | <input type="radio"/> Ibis African Sacred             | <input type="radio"/> Mousebird Speckled         |
| <input type="radio"/> Francolin Coqui                 | <input type="radio"/> Ibis Glossy                     | <input type="radio"/> Myna Common                |
| <input type="radio"/> Francolin Crested               | <input type="radio"/> Ibis Hadeda                     | <input type="radio"/> Neddicky                   |
| <input type="radio"/> Francolin Shelley's (u)         | <input type="radio"/> Ibis Southern Bald              | <input type="radio"/> Nicator Eastern            |
| <input type="radio"/> Go-away-bird Grey               | <input type="radio"/> Indigobird Dusky                | <input type="radio"/> Nightjar European (u-m)    |
| <input type="radio"/> Goose African Pygmy- (u)        | <input type="radio"/> Indigobird Village              | <input type="radio"/> Nightjar Fiery-necked      |
| <input type="radio"/> Goose Egyptian                  | <input type="radio"/> Jacana African                  | <input type="radio"/> Nightjar Freckled          |
| <input type="radio"/> Goose Spur-winged               | <input type="radio"/> Jacana Lesser (u)               | <input type="radio"/> Nightjar Square-tailed     |
| <input type="radio"/> Goshawk African                 | <input type="radio"/> Kestrel Lesser (m)              | <input type="radio"/> Nightjar Swamp (u)         |
| <input type="radio"/> Goshawk Gabar                   | <input type="radio"/> Kestrel Rock                    | <input type="radio"/> Openbill African           |
| <input type="radio"/> Grassbird Cape                  | <input type="radio"/> Kingfisher African Pygmy (m)    | <input type="radio"/> Oriole Black-headed        |
| <input type="radio"/> Grebe Little                    | <input type="radio"/> Kingfisher Brown-hooded         | <input type="radio"/> Oriole Eurasian Golden (m) |
| <input type="radio"/> Greenbul Sombre                 | <input type="radio"/> Kingfisher Giant                | <input type="radio"/> Osprey Western (u-m)       |
| <input type="radio"/> Greenbul Yellow-bellied         | <input type="radio"/> Kingfisher Half-collared (u)    | <input type="radio"/> Owl African Grass (u)      |
| <input type="radio"/> Greenshank Common (m)           | <input type="radio"/> Kingfisher Malachite            | <input type="radio"/> Owl African Scops          |
| <input type="radio"/> Guineafowl Crested              | <input type="radio"/> Kingfisher Pied                 | <input type="radio"/> Owl African Wood           |
| <input type="radio"/> Guineafowl Helmeted             | <input type="radio"/> Kingfisher Striped              | <input type="radio"/> Owl Marsh                  |
| <input type="radio"/> Gull Grey-headed                | <input type="radio"/> Kingfisher Woodland (m)         | <input type="radio"/> Owl Pel's Fishing (u)      |
| <input type="radio"/> Hamerkop                        | <input type="radio"/> Kite Black-winged (shouldered)  | <input type="radio"/> Owl Southern White-faced   |
| <input type="radio"/> Harrier African Marsh           | <input type="radio"/> Kite Yellow-billed (m)          | <input type="radio"/> Owl Spotted Eagle-         |
| <input type="radio"/> Harrier Montagu's (u-m)         | <input type="radio"/> Korhaan Red-crested             | <input type="radio"/> Owl Verreaux's Eagle-      |
| <input type="radio"/> Hawk African Cuckoo (u)         | <input type="radio"/> Lapwing African Wattled         | <input type="radio"/> Owl Western Barn           |
| <input type="radio"/> Hawk African Harrier            | <input type="radio"/> Lapwing Black-winged            | <input type="radio"/> Owlet Pearl-spotted        |
| <input type="radio"/> Hawk Bat (u)                    | <input type="radio"/> Lapwing Blacksmith              | <input type="radio"/> Oxpecker Red-billed        |
| <input type="radio"/> Heron Black (u)                 | <input type="radio"/> Lapwing Crowned                 | <input type="radio"/> Oxpecker Yellow-billed (h) |
| <input type="radio"/> Heron Black-crowned Night       | <input type="radio"/> Lapwing Senegal                 | <input type="radio"/> Parrot Brown-headed (h)    |
| <input type="radio"/> Heron Black-headed              | <input type="radio"/> Lark Chestnut-backed Sparrow-   | <input type="radio"/> Pelican Great White        |
| <input type="radio"/> Heron Goliath                   | <input type="radio"/> Lark Flappet                    | <input type="radio"/> Pelican Pink-backed        |

(u) Generally uncommon

(m) Migrant / Moves Seasonally - generally only seen at certain times of the year

(u-m) Generally uncommon | Migrant

(h) Historically found in the area

- Petronia Yellow-throated
- Pigeon African Green
- Pigeon African Olive
- Pigeon Eastern Bronze-naped (u)
- Pigeon Speckled
- Pipit African
- Pipit Bushveld
- Pipit Long-billed
- Pipit Plain-backed
- Pipit Short-tailed (u-m)
- Pipit Striped
- Plover Caspian (u-m)
- Plover Common Ringed (m)
- Plover Kittlitz's
- Plover Three-banded
- Pochard Southern
- Pratincole Collared (u-m)
- Prinia Tawny-flanked
- Puffback Black-backed
- Pytilia Green-winged
- Quail Common (m)
- Quail Herlequin (m)
- Quelea Red-billed
- Quelea Red-headed (u-m)
- Rail African (u)
- Raven White-necked
- Robin Bearded Scrub
- Robin Brown Scrub
- Robin White-browed Scrub
- Robin White-starred
- Robin-Chat Cape
- Robin-Chat Chorister
- Robin-Chat Red-capped
- Robin-Chat White-browed
- Robin-Chat White-throated
- Roller European (m)
- Roller Lilac-breasted
- Roller Purple (u)
- Ruff (m)
- Sandpiper Common (m)
- Sandpiper Curlew (m)
- Sandpiper Green (u-m)
- Sandpiper Marsh (m)
- Sandpiper Wood (m)
- Saw-wing Black
- Scimitarbill Common
- Secretarybird
- Seedeater Streaky-headed
- Shikra
- Shoveler Cape
- Shrike Lesser Grey (m)
- Shrike Magpie
- Shrike Red-backed (m)
- Shrike White-crested Helmet-
- Snipe African
- Snipe Greater Painted-
- Sparrow House
- Sparrow Southern Grey-headed
- Sparrowhawk Black
- Sparrowhawk Little (u)
- Spoonbill African
- Spurfowl Natal
- Spurfowl Swainson's
- Starling Black-bellied
- Starling Cape Glossy
- Starling Red-winged
- Starling Violet-backed (m)
- Starling Wattled
- Stilt Black-winged
- Stint Little (m)
- Stonechat African
- Stork Black (u)
- Stork Marabou
- Stork Saddle-billed (u)
- Stork White (m)
- Stork Woolly-necked
- Stork Yellow-billed
- Sunbird Amethyst
- Sunbird Collared
- Sunbird Grey
- Sunbird Greater Double-collared
- Sunbird Marico
- Sunbird Olive
- Sunbird Purple-banded
- Sunbird Scarlet-chested
- Sunbird White-bellied
- Swallow Barn (m)
- Swallow Greater Striped (m)
- Swallow Grey-rumped
- Swallow Lesser Striped
- Swallow Red-breasted (m)
- Swallow White-throated (m)
- Swallow Wire-tailed
- Swamphen African
- Swift African Black
- Swift African Palm
- Swift Alpine
- Swift Common (m)
- Swift Horus (u-m)
- Swift Little
- Swift White-rumped (m)
- Tchagra Black-crowned
- Tchagra Brown-crowned
- Tchagra Southern
- Teal Cape
- Teal Hottentot
- Teal Red-billed
- Tern Caspian
- Tern Whiskered
- Tern White-winged (m)
- Thick-knee Spotted
- Thick-knee Water
- Thrush Cape Rock
- Thrush Groundscraper
- Thrush Kurrichane
- Thrush Olive
- Tinkerbird Red-fronted
- Tinkerbird Yellow-rumped
- Tit Grey Penduline
- Tit Southern Black
- Tit-Babbler Chestnut-vented
- Trogon Narina
- Turaco Purple-crested
- Twinspot Green (u)
- Twinspot Pink-throated (u)
- Vulture Cape
- Vulture Lappet-faced
- Vulture White-backed
- Vulture White-headed
- Wagtail African Pied
- Wagtail Cape
- Wagtail Mountain
- Wagtail Western Yellow (u-m)
- Warbler African Reed (m)
- Warbler Barratt's

(u) Generally uncommon

(u-m) Generally uncommon | Migrant

(m) Migrant / Moves Seasonally - generally only seen at certain times of the year

(h) Historically found in the area

